ELSEVIER

Neuroscience Letters 273 (1999) 212–214

Neuroscience Letters

Contents to Volume 273

Volume 273, no. 1

Guidelines for the submission of manuscripts v

cAMP-dependent protein kinase type RI is found in clusters in the rat detergent-insoluble neuronal fraction
C. Mucignat-Caretta, V. Conti, A. Caretta (Italy) 1

Cerebrospinal fluid tau and Aβ42 as predictors of development of Alzheimer's disease in patients with mild cognitive impairment
N. Andreasen, L. Minthon, E. Vanmechelen, H. Vanderstichele, P. Davidsson, B. Winblad, K. Blennow (Sweden, Belgium) 5

Shared memory representations for programming of lifting movements and associated whole body postural adjustments in humans
H. Forssberg, A. Jucaite, M. Hadders-Algra (Sweden, The Netherlands) 9

Neuroprotection by ATP-dependent potassium channels in rat neocortical brain slices during hypoxia
S. Garcia de Arriba, H. Franke, M. Pissarek, K. Nieber, P. Illes (Germany) 13

Hypothalamic orexin A-immunoreactive neurons project to the rat dorsal medulla
T.A. Harrison, C.-T. Chen, N.J. Dun, J.-K. Chang (USA) 17

Failure of kynurenic acid to inhibit amino acid release from the ischemic rat cerebral cortex
J.W. Phillis, D. Song, L.L. Guyot, M.H. O'Regan (USA) 21

Release of endomorphin-2 like substances from the rat spinal cord
C.A. Williams, S.Y. Wu, S.L. Dun, E.H. Kwok, N.J. Dun (USA) 25

High metabolism and subsequent elongation of 3-hydroxyeicosanoyl-CoA in very-long- chain fatty acid deficient PNS of Trembler mice
F. Sargueil, A. Knoll, J. Salles, B. Garbay, C. Cassagne (France) 29

Degeneration of rabbit sensory neurons induced by passive transfer of anti-GD1b antiserum
S. Kusunoki, S. Hitoshi, K.-i. Kaida, S. Murayama, I. Kanazawa (Japan) 33

Increased expression of CaM kinase II alpha in the brains of scrapie-infected mice
J.-K. Jin, J.-K. Choi, H.-G. Lee, Y.-S. Kim, R.I. Carp, E.-K. Choi (South Korea, USA) 37

Age-related change of antioxidant capacities in the cerebral cortex and hippocampus of stroke-prone spontaneously hypertensive rats
S. Kimoto-Kinoshita, S. Nishida, T.T. Tomura (Japan) 41

Characterization of orexin-A and orexin-B in the microdissected rat brain nuclei and their contents in two obese rat models
M.S. Mondal, M. Nakazato, Y. Date, N. Murakami, R. Hanada, T. Sakata, S. Matsukura (Japan) 45

The kinesin light chain gene: its mapping and exclusion in mouse and human forms of inherited motor neuron degeneration
M. Hafezparast, A. Witherden, S. Nicholson, N. Bermingham, J. Mackin, A. ten Asbroek, S. Ball, J. Peters, F. Baas, J.E. Martin, E.M.C. Fisher (UK, The Netherlands) 49

Nardosinone, a novel enhancer of nerve growth factor in neurite outgrowth from PC12D cells
P. Li, K. Matsunaga, K. Yamamoto, R. Yoshikawa, K. Kawashima, Y. Ohizumi (Japan) 53

Astrocytes rather than neurones mediate interleukin-1β dependent nitric oxide and superoxide radical release in primary hypothalamic rat cell cultures
C.M. Tolias, C.J. McNeil, J. Kazlauskaite, E.W. Hillhouse (UK) 57

Alpha-2-macroglobulin intronic polymorphism is not associated with autopsy-confirmed late-onset Alzheimer's disease
T. Kovács, N.J. Cairns, P.L. Lantos (UK, Hungary) 61

Inhibitory modulation of cutaneous vascular responses by endogenous galanin in the pigeon
P. Sántha, F.-K. Pierau, G. Jancsó (Hungary, Germany) 64

Tyrosine kinase A-nerve growth factor receptor is antigenically present in dystrophic neurites from a variety of conditions but not in Alzheimer's disease
L. Marinelli, S. Cammarata, L. Nobbio, A. Schenone, D. Zaccheo, G. Angelini, M. Tabaton (Italy) 67

Volume 273, no. 2

Expression of osteopontin mRNA in the adult rat brain
S.-L. Shin, J.-H. Cha, M.-H. Chun, J.-W. Chung, M.-Y. Lee (South Korea) 73

Widespread up-regulation of *N*-methyl-D-aspartate receptors after focal photothrombotic lesion in rat brain
M. Que, K. Schiene, O.W. Witte, K. Zilles (Germany) 77

Beneficial effect of proprioceptive physical activities on balance control in elderly human subjects
G.C. Gauchard, C. Jeandel, A. Tessier, P.P. Perrin (France) 81

ELSEVIER

Neuroscience Letters 273 (1999) 212–214

Neuroscience Letters

Contents to Volume 273

Volume 273, no. 1

Guidelines for the submission of manuscripts v

cAMP-dependent protein kinase type RI is found in clusters in the rat detergent-insoluble neuronal fraction
C. Mucignat-Caretta, V. Conti, A. Caretta (Italy) 1

Cerebrospinal fluid tau and Aβ42 as predictors of development of Alzheimer's disease in patients with mild cognitive impairment
N. Andreasen, L. Minthon, E. Vanmechelen, H. Vanderstichele, P. Davidsson, B. Winblad, K. Blennow (Sweden, Belgium) 5

Shared memory representations for programming of lifting movements and associated whole body postural adjustments in humans
H. Forssberg, A. Jucaite, M. Hadders-Algra (Sweden, The Netherlands) 9

Neuroprotection by ATP-dependent potassium channels in rat neocortical brain slices during hypoxia
S. Garcia de Arriba, H. Franke, M. Pissarek, K. Nieber, P. Illes (Germany) 13

Hypothalamic orexin A-immunoreactive neurons project to the rat dorsal medulla
T.A. Harrison, C.-T. Chen, N.J. Dun, J.-K. Chang (USA) 17

Failure of kynurenic acid to inhibit amino acid release from the ischemic rat cerebral cortex
J.W. Phillis, D. Song, L.L. Guyot, M.H. O'Regan (USA) 21

Release of endomorphin-2 like substances from the rat spinal cord
C.A. Williams, S.Y. Wu, S.L. Dun, E.H. Kwok, N.J. Dun (USA) 25

High metabolism and subsequent elongation of 3-hydroxyeicosanoyl-CoA in very-long- chain fatty acid deficient PNS of Trembler mice
F. Sargueil, A. Knoll, J. Salles, B. Garbay, C. Cassagne (France) 29

Degeneration of rabbit sensory neurons induced by passive transfer of anti-GD1b antiserum
S. Kusunoki, S. Hitoshi, K.-i. Kaida, S. Murayama, I. Kanazawa (Japan) 33

Increased expression of CaM kinase II alpha in the brains of scrapie-infected mice
J.-K. Jin, J.-K. Choi, H.-G. Lee, Y.-S. Kim, R.I. Carp, E.-K. Choi (South Korea, USA) 37

Age-related change of antioxidant capacities in the cerebral cortex and hippocampus of stroke-prone spontaneously hypertensive rats
S. Kimoto-Kinoshita, S. Nishida, T.T. Tomura (Japan) 41

Characterization of orexin-A and orexin-B in the microdissected rat brain nuclei and their contents in two obese rat models
M.S. Mondal, M. Nakazato, Y. Date, N. Murakami, R. Hanada, T. Sakata, S. Matsukura (Japan) 45

The kinesin light chain gene: its mapping and exclusion in mouse and human forms of inherited motor neuron degeneration
M. Hafezparast, A. Witherden, S. Nicholson, N. Bermingham, J. Mackin, A. ten Asbroek, S. Ball, J. Peters, F. Baas, J.E. Martin, E.M.C. Fisher (UK, The Netherlands) 49

Nardosinone, a novel enhancer of nerve growth factor in neurite outgrowth from PC12D cells
P. Li, K. Matsunaga, K. Yamamoto, R. Yoshikawa, K. Kawashima, Y. Ohizumi (Japan) 53

Astrocytes rather than neurones mediate interleukin-1β dependent nitric oxide and superoxide radical release in primary hypothalamic rat cell cultures
C.M. Tolias, C.J. McNeil, J. Kazlauskaite, E.W. Hillhouse (UK) 57

Alpha-2-macroglobulin intronic polymorphism is not associated with autopsy-confirmed late-onset Alzheimer's disease
T. Kovács, N.J. Cairns, P.L. Lantos (UK, Hungary) 61

Inhibitory modulation of cutaneous vascular responses by endogenous galanin in the pigeon
P. Sántha, F.-K. Pierau, G. Jancsó (Hungary, Germany) 64

Tyrosine kinase A-nerve growth factor receptor is antigenically present in dystrophic neurites from a variety of conditions but not in Alzheimer's disease
L. Marinelli, S. Cammarata, L. Nobbio, A. Schenone, D. Zaccheo, G. Angelini, M. Tabaton (Italy) 67

Volume 273, no. 2

Expression of osteopontin mRNA in the adult rat brain
S.-L. Shin, J.-H. Cha, M.-H. Chun, J.-W. Chung, M.-Y. Lee (South Korea) 73

Widespread up-regulation of *N*-methyl-D-aspartate receptors after focal photothrombotic lesion in rat brain
M. Que, K. Schiene, O.W. Witte, K. Zilles (Germany) 77

Beneficial effect of proprioceptive physical activities on balance control in elderly human subjects
G.C. Gauchard, C. Jeandel, A. Tessier, P.P. Perrin (France) 81

The antinociceptive effect of venlafaxine in mice is mediated through opioid and adrenergic mechanisms
S. Schreiber, M.M. Backer, C.G. Pick (Israel) 85
Lack of bilateral coherence of post-movement central beta oscillations in the human electroencephalogram
C. Andrew, G. Pfurtscheller (South Africa, Austria) 89
Neuromotor alterations and cerebellar deficits in aged arylsulfatase A-deficient transgenic mice
R. D'Hooge, D. Hartmann, J. Manil, F. Colin, V. Gieselmann, P.P. De Deyn (Belgium, Germany) 93
cHox11L2, a Hox11 related gene, is expressed in the peripheral nervous system and subpopulation of the spinal cord during chick development
K. Uchiyama, R. Otsuka, K. Hanaoka (Japan) 97
Localization of [^{3}H]octylphosphonyl-labeled neuropathy target esterase by chicken nervous tissue autoradiography
M. Kamijima, J.E. Casida (USA, Japan) 101
Gene expression of P2X-receptors in the developing inner ear of the rat
U. Brändle, H.-P. Zenner, J.P. Ruppersberg (Germany) 105
Reduction of H_2O_2-evoked, intracellular calcium increases in the rat N18-RE-105 neuronal cell line by pretreatment with an electrophilic antioxidant inducer
J.Y.C. Su, S. Duffy, T.H. Murphy (Canada) 109
Metallothionein-I and -II knock-out mice are not more sensitive than control mice to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine neurotoxicity
P. Rojas, C.D. Klaassen (USA) 113
Neuronal intranuclear inclusions in spinocerebellar ataxia type 2: triple-labeling immunofluorescent study
S. Koyano, T. Uchihara, H. Fujigasaki, A. Nakamura, S. Yagishita, K. Iwabuchi (Japan) 117
Time course of gaze influences on postural responses to neck proprioceptive and galvanic vestibular stimulation in humans
R. Grasso, Y. Ivanenko, F. Lacquaniti (Italy) 121
A long-term stress exposure impairs maze learning performance in rats
J.-I. Nishimura, Y. Endo, F. Kimura (Japan) 125
Kin protein expression: laminar specificity during rat cerebral cortex development
I. Ros, J. Angulo, S. Araneda (France) 129
Contralaterally induced dorsal root reflex shares common final pathway with ipsilaterally elicited ones in Wistar rats
T.-B. Lin, T.-C. Fu (Taiwan) 133
Assessment of cerebrospinal fluid levels of serum amyloid P component in patients with Alzheimer's disease
M. Kimura, T. Asada, M. Uno, N. Machida, K. Kasuya, Y. Taniguchi, T. Fujita, E. Nishiyama, N. Iwamoto, H. Arai (Japan) 137
Cathepsin D gene exon 2 polymorphism and sporadic Alzheimer's disease
S.P. McIlroy, K.B. Dynan, B.M. McGleenon, J.T. Lawson, A.P. Passmore (UK) 140

Volume 273, no. 3

Heme oxygenase-2 expression at rat neuromuscular junctions
L.L. Kusner, E. Kim, H.J. Kaminski (USA) 143
Differential effects of treatment with typical and atypical antipsychotic drugs on adenylyl cyclase and G proteins
G.B. Kaplan, K.A. Leite-Morris, D.J. Keith (USA) 147
Dopamine receptor D2 intronic polymorphism in patients with Parkinson's disease
P. Pastor, E. Muñoz, V. Obach, M.J. Martí, R. Blesa, R. Oliva, E. Tolosa (Spain) 151
Altered seizure susceptibility after high-frequency transcranial magnetic stimulation in rats
U. Ebert, U. Ziemann (Germany) 155
Non-invasive long-term recordings of cortical 'direct current' (DC–) activity in humans using magnetoencephalography
B.-M. Mackert, G. Wübbeler, M. Burghoff, P. Marx, L. Trahms, G. Curio (Germany) 159
Cytidine diphosphate choline administration activates brain cytidine triphosphate: phosphocholine cytidylytransferase in aged rats
R. Giménez, S. Soler, J. Aguilar (Spain) 163
Characterization of a putative calcitonin receptor in IMR 32 human neuroblastoma cells
S. Spampinato, B. Falcucci, S. Cacciaguerra, G. Campana, G. Murari (Italy) 167
Inhibition of MK801 binding in adult rat brain sections by conantokin-G and conantokin-T
R.C. Klein, F.J. Castellino (USA) 171
Calcitonin reverts pertussis toxin blockade of the opioid analgesia in mice
C. Goicoechea, M.J. Ormazábal, R. Abalo, M.J. Alfaro, M.I. Martín (Spain) 175
Mechanical transduction by rat dorsal root ganglion neurons in vitro
G.C. McCarter, D.B. Reichling, J.D. Levine (USA) 179
Site-specific splice variation of the human $P2X_4$ receptor
D. Carpenter, H.J. Meadows, S. Brough, G. Chapman, C. Clarke, M. Coldwell, R. Davis, D. Harrison, J. Meakin, M. McHale, S.Q.J. Rice, W.J. Tomlinson, M. Wood, G.J. Sanger (UK) 183
Reciprocal changes in the expression of neurotrophin mRNAs in target tissues and peripheral nerves of aged rats
Y. Ming, E. Bergman, E. Edström, B. Ulfhake (Sweden) 187
LY379268, a potent and selective Group II metabotropic glutamate receptor agonist, is neuroprotective in gerbil global, but not focal, cerebral ischaemia

A. Bond, N. Ragumoorthy, J.A. Monn, C.A. Hicks, M.A. Ward, D. Lodge, M.J. O'Neill (UK, USA) 191
A functional magnetic resonance imaging study of mental subtraction in human subjects
P. Burbaud, O. Camus, D. Guehl, B. Bioulac, J.-M. Caillé, M. Allard (France) 195
Muscarinic control of intracortical connections to layer II in rat entorhinal cortex slice
M. Richter, T. Schilling, W. Müller (Germany) 200
Cerebrospinal fluid levels of amyloid β-peptide$_{1-42}$, but not tau have positive correlation with brain glucose metabolism in humans
N. Okamura, H. Arai, M. Higuchi, M. Tashiro, T. Matsui, M. Itoh, T. Iwatsubo, T. Tomita, H. Sasaki (Japan) 203

Author Index to Volume 273 208
Contents to Volume 273 212